# Art Wall

Explore the Art Wall range for creative display arrangements. Match the visual concept with the published controller capabilities.



View the current online brochure

## Turn a display concept into a system

## Start with the composition

Define the screen arrangement and the content experience before selecting hardware.

## Check the signal path

Compare the available connections and processing information on the individual product pages.

## Plan the installation

Discuss the complete layout, display geometry and source requirements with the 4thewall team.

## Explore the product range

Published product information at the time of generation. Confirm the final model, configuration and system compatibility with our team.

## 4Kto4E-DP

4Kto4, 4K signal can split up up to 4 channel and supports 2x2, 4x1, 3x1, 2x1, 1x2, 1x3, 1x4 configurations Outputs can use as horizontal/vertical and artistic screen layouts can be set up Layouts changes can be made with the buttons on the front panel Layouts can be…

View product specifications

## 4Kto4E-H

4Kto4, 4K signal can split up up to 4 channel and supports 2x2, 4x1, 3x1, 2x1, 1x2, 1x3, 1x4 configurations Outputs can use as horizontal/vertical and artistic screen layouts can be set up Layouts changes can be made with the buttons on the front panel Layouts can be…

View product specifications

## CURVE32/0412P

Easy to use videowall controller has Full HD inputs and outputs, hardware based controller is suitable for meeting rooms It has a feature such as source crop, resolution scaling, add high resolution images and HDCP compatibility The opportunity to customize the modular Curve series for your inputs and…

View product specifications

## CURVE32/0812P

Easy to use videowall controller has Full HD inputs and outputs, hardware based controller is suitable for meeting rooms It has a feature such as source crop, resolution scaling, add high resolution images and HDCP compatibility The opportunity to customize the modular Curve series for your inputs and…

View product specifications

## CURVE32/1212P

Easy to use videowall controller has Full HD inputs and outputs, hardware based controller is suitable for meeting rooms It has a feature such as source crop, resolution scaling, add high resolution images and HDCP compatibility The opportunity to customize the modular Curve series for your inputs and…

View product specifications

## SC-DCFM-C

View product specifications

## SC-DCFM-D

Stylish profile design with touch interface It provides ease installation and usage with CAT5e and RJ45 connectors Microphone change option with screw connection The "Hand-in-Hand-Loop-Network" connection ensures that the system works optimally regardless of system changes Provides digital signal transmission by preventing interference from mobile phones and similar…

View product specifications

## SC-DCM-C

View product specifications

## SC-DCM-D

View product specifications

## SC-DCUC2200-D

Each conference line (CAT5e) supports 64 channels It provides ease to use with its LCD Screen and four-way buttons Lossless audio transmission technology offers 48K audio sampling rate and 20Hz ~ 20KHz frequency response The "Hand-in-Hand-Loop-Network" connection ensures that the system works optimally regardless of system changes AGC…

View product specifications

## SC-DMic-40

Sensitive directional microphone head with mini design Two color LED ring indicator Anti-wind microphone foam cover Different lenght of microphone options Easy remove/attach screw lock socket All units can be configured as chairman and delegate units with model-based software

View product specifications

## SC-MIXAMPE45

View product specifications

## WALL28/1204CLBLACK

Easy to use video wall controller, has strong features with Designer V5 software and supports Full HD inputs and outputs Wall28 can be used for command control centers, monitoring centers, meeting rooms and designed to work 24/7 Automation control protocols such as KNX, Dali, RS232, DMX512 etc.Unlimited scenarios…

View product specifications

## WALL28/1604CLBLACK

Easy to use video wall controller, has strong features with Designer V5 software and supports Full HD inputs and outputs Wall28 can be used for command control centers, monitoring centers, meeting rooms and designed to work 24/7 Automation control protocols such as KNX, Dali, RS232, DMX512 etc.Unlimited scenarios…

View product specifications

## WALL28/1608CLBLACK

Easy to use video wall controller, has strong features with Designer V5 software and supports Full HD inputs and outputs Wall28 can be used for command control centers, monitoring centers, meeting rooms and designed to work 24/7 Automation control protocols such as KNX, Dali, RS232, DMX512 etc.Unlimited scenarios…

View product specifications

## WALL8/0804CLBLACK

Easy to use video wall controller, has strong features with Designer V5 software and supports 4K inputs and outputs Wall 8 can be used for command control centers, monitoring centers, meeting rooms and designed to work 24/7 Automation control protocols such as KNX, Dali, RS232, DMX512 etc.Unlimited scenarios…

View product specifications

## WALL8/0808CLBLACK

Easy to use video wall controller, has strong features with Designer V5 software and supports 4K inputs and outputs Wall 8 can be used for command control centers, monitoring centers, meeting rooms and designed to work 24/7 Automation control protocols such as KNX, Dali, RS232, DMX512 etc.Unlimited scenarios…

View product specifications

# WALLLN/0402C

View product specifications

## Software platforms

## Designer V Control Management

Designer V provides browser-based video wall control with layouts, user privileges and automation workflows. It supports collaboration and central management of professional video wall systems.

Explore online

## Related solutions

## Video Walls

Turn a wall of displays into a shared point of understanding. Plan the sources, layouts and control workflow around the information your team needs to see.

Explore online

## Discuss your project with 4thewall

Tell us about your sources, displays, users and operating environment.

**Contact 4thewall**