LED & LCD Displays

Create a shared visual canvas for your space. Explore LED and LCD display families, then compare the specifications that matter for your viewing environment.



View the current online brochure

Begin with the viewing experience

Viewing conditions

Consider the audience distance, ambient light and content before selecting a display technology.

Screen and space

Review the available model dimensions, display arrangement and installation requirements against the site.

Complete the system

Plan the source, controller and mounting requirements together. The product pages contain the published model specifications.

Explore the product range

Published product information at the time of generation. Confirm the final model, configuration and system compatibility with our team.

49N500B35

View product specifications

55N500B088

View product specifications

55N500B18

View product specifications

55N500B18-EF4

View product specifications

55N500B18HT

View product specifications

55N500B35

View product specifications

55N700B088

Anti glare panel Ultra-narrow B-B 0.88 mm Factory calibration supported for high color uniformity Supported 3D noise reduction system Modular structure design

View product specifications

HERA FP12

High resolution video and picture dot to dot matching. Free splicing into 2K/4K/8K Module size:150x168.75mm and its supporting die cast aluminum cabinet:600*337.5mm

View product specifications

HERA FP15

High resolution video and picture dot to dot matching. Free splicing into 2K/4K/8K Module size:150x168.75mm and its supporting die cast aluminum cabinet:600*337.5mm

View product specifications

HERA FP18

High resolution video and picture dot to dot matching. Free splicing into 2K/4K/8K Module size:150x168.75mm and its supporting die cast aluminum cabinet:600*337.5mm

View product specifications

HERA FP18-Flex

View product specifications

Hera FP20

High resolution video and picture dot to dot matching. Free splicing into 2K/4K/8K Module size:320x160x18mm

View product specifications

HERA FP25

High resolution video and picture dot to dot matching. Free splicing into 2K/4K/8K Module size:150x 337.5 mm and its supporting die cast aluminum cabinet:600*337.5mm

View product specifications

HERA FP25-Flex

View product specifications

HERA SERIES LED SCREEN – SC-50/7 FLD1.2

View product specifications

HERA SERIES LED SCREEN – SC-50/7 FLD1.8

View product specifications

HERA SERIES LED SCREEN – SC-50/7 FLD1.86MH

View product specifications

HERA SERIES LED SCREEN – SC-50/7 FLD2

View product specifications

HERA SERIES LED SCREEN – SC-50/7 FLD2.5

View product specifications

HERA SERIES LED SCREEN – SC-50/7 FLD3

View product specifications

HERA SERIES LED SCREEN – SC-50/7 FX1.96

View product specifications

HERA SERIES LED SCREEN – SC-50_7 FX2.6

View product specifications

JUNO SERIES LED SCREEN – SC-50/7 FD0.7 COB

View product specifications

JUNO SERIES LED SCREEN – SC-50/7 FD0.9 COB

View product specifications

JUNO SERIES LED SCREEN – SC-50/7 FD1.2 COB

View product specifications

JUNO SERIES LED SCREEN – SC-50/7 FD1.5 COB

View product specifications

SC-50/ 7

High resolution video and picture dot to dot matching. Free splicing into 2K/4K/8K Module size:320x160x17mm

View product specifications

SC-50/7 F5K/F10K-CSS

View product specifications

SC-50/7 FLP2

High resolution video and picture dot to dot matching. Free splicing into 2K/4K/8K Module size: 320x160mm

View product specifications

SC-50/7 FLP2-1

High resolution video and picture dot to dot matching. Free splicing into 2K/4K/8K Module size: 320x160mm

View product specifications

SC-50/7 FLP2-2

High resolution video and picture dot to dot matching. Free splicing into 2K/4K/8K Module size: 320x160mm

View product specifications

SC-50/7 M

High resolution video and picture dot to dot matching. Free splicing into 2K/4K/8K Module size:150x337.5

View product specifications

TITAN II SERIES LED SCREEN – SC-50/7 FLOC10

View product specifications

TITAN II SERIES LED SCREEN – SC-50/7 FLOC2.97

View product specifications

TITAN II SERIES LED SCREEN – SC-50/7 FLOC3.91

View product specifications

TITAN II SERIES LED SCREEN – SC-50/7 FLOC4.81

View product specifications

TITAN II SERIES LED SCREEN – SC-50/7 FLOC6

View product specifications

TITAN II SERIES LED SCREEN – SC-50/7 FLOC8

View product specifications

TITAN III SERIES LED SCREEN – SC-50/7 FLOS10

View product specifications

TITAN III SERIES LED SCREEN – SC-50/7 FLOS3

View product specifications

TITAN III SERIES LED SCREEN – SC-50/7 FLOS4

View product specifications

TITAN III SERIES LED SCREEN – SC-50/7 FLOS5

View product specifications

TITAN III SERIES LED SCREEN – SC-50/7 FLOS6

View product specifications

TITAN III SERIES LED SCREEN – SC-50/7 FLOS8

View product specifications

TITAN SERIES LED SCREEN – SC-50/7 FLO2.97

View product specifications

TITAN SERIES LED SCREEN – SC-50/7 FLO3.91

View product specifications

TITAN SERIES LED SCREEN – SC-50/7 FLO4.81

View product specifications

TITAN SERIES LED SCREEN – SC-50/7 FLO5

View product specifications

TITAN SERIES LED SCREEN – SC-50/7 FLO6

View product specifications

TITAN SERIES LED SCREEN – SC-50/7 FLO8

View product specifications

HERA Series LED Screen — SC-50/7 FLD1.5

An indoor fixed-installation LED display module with a 1.538 mm pixel pitch and front-service cabinet architecture.

View product specifications

Related solutions

Video Walls

Turn a wall of displays into a shared point of understanding. Plan the sources, layouts and control workflow around the information your team needs to see.

Explore online

Conference Rooms

Make the room work for the meeting. Connect presentation, display and control choices to a workflow that participants can understand.

Explore online

Discuss your project with 4thewall

Tell us about your sources, displays, users and operating environment.

Contact 4thewall